

Software Engineering

For BCA 4th Semester

Lecture 1

Compiled

By

Sakhi Bandyopadhyay

Dept. of Computer Science & BCA,

Kharagpur College,

Kharagpur 721305

What is Software Engineering?

The term **software engineering** is the product of two words, **software**, and **engineering**.

The **software** is a collection of integrated programs.

Software subsists of carefully-organized instructions and code written by developers on any of various particular computer languages.

Computer programs and related documentation such as requirements, design models and user manuals.

Engineering is the application of **scientific** and **practical** knowledge to **invent, design, build, maintain, and improve frameworks, processes, etc.**



Software Engineering is an engineering branch related to the evolution of software product using well-defined scientific principles, techniques, and procedures. The result of software engineering is an effective and reliable software product.

Why is Software Engineering required?

Software Engineering is required due to the following reasons:

- To manage Large software
- For more Scalability
- Cost Management
- To manage the dynamic nature of software
- For better quality Management

Need of Software Engineering


The necessity of software engineering appears because of a higher rate of progress in user requirements and the environment on which the program is working.

- **Huge Programming:** It is simpler to manufacture a wall than to a house or building, similarly, as the measure of programming become extensive engineering has to step to give it a scientific process.
- **Adaptability:** If the software procedure were not based on scientific and engineering ideas, it would be simpler to re-create new software than to scale an existing one.
- **Cost:** As the hardware industry has demonstrated its skills and huge manufacturing has let down the cost of computer and electronic hardware. But the cost of programming remains high if the proper process is not adapted.
- **Dynamic Nature:** The continually growing and adapting nature of programming hugely depends upon the environment in which the client works. If the quality of the software is continually changing, new upgrades need to be done in the existing one.
- **Quality Management:** Better procedure of software development provides a better and quality software product.

Characteristics of a good software engineer

- The features that good software engineers should possess are as follows:
- Exposure to systematic methods, i.e., familiarity with software engineering principles.
- Good technical knowledge of the project range (Domain knowledge).
- Good programming abilities.
- Good communication skills. These skills comprise of oral, written, and interpersonal skills.
- High motivation.
- Sound knowledge of fundamentals of computer science.
- Intelligence.
- Ability to work in a team
- Discipline, etc.

Importance of Software Engineering



The importance of Software engineering is as follows:

1. **Reduces complexity:** Big software is always complicated and challenging to progress. Software engineering has a great solution to reduce the complication of any project. Software engineering divides big problems into various small issues. And then start solving each small issue one by one. All these small problems are solved independently to each other.
2. **To minimize software cost:** Software needs a lot of hardwork and software engineers are highly paid experts. A lot of manpower is required to develop software with a large number of codes. But in software engineering, programmers project everything and decrease all those things that are not needed. In turn, the cost for software productions becomes less as compared to any software that does not use software engineering method.
3. **To decrease time:** Anything that is not made according to the project always wastes time. And if you are making great software, then you may need to run many codes to get the definitive running code. This is a very time-consuming procedure, and if it is not well handled, then this can take a lot of time. So if you are making your software according to the software engineering method, then it will decrease a lot of time.
4. **Handling big projects:** Big projects are not done in a couple of days, and they need lots of patience, planning, and management. And to invest six and seven months of any company, it requires heaps of planning, direction, testing, and maintenance. No one can say that he has given four months of a company to the task, and the project is still in its first stage. Because the company has provided many resources to the plan and it should be completed. So to handle a big project without any problem, the company has to go for a software engineering method.
5. **Reliable software:** Software should be secure, means if you have delivered the software, then it should work for at least its given time or subscription. And if any bugs come in the software, the company is responsible for solving all these bugs. Because in software engineering, testing and maintenance are given, so there is no worry of its reliability.
6. **Effectiveness:** Effectiveness comes if anything has made according to the standards. Software standards are the big target of companies to make it more effective. So Software becomes more effective in the act with the help of software engineering.

Software Crisis


1. **Size:** Software is becoming more expensive and more complex with the growing complexity and expectation out of software. For example, the code in the consumer product is doubling every couple of years.
2. **Quality:** Many software products have poor quality, i.e., the software products defects after putting into use due to ineffective testing technique. For example, Software testing typically finds 25 errors per 1000 lines of code.

3. **Cost:** Software development is costly i.e. in terms of time taken to develop and the money involved. For example, Development of the FAA's Advanced Automation System cost over \$700 per lines of code.
4. **Delayed Delivery:** Serious schedule overruns are common. Very often the software takes longer than the estimated time to develop, which in turn leads to cost shooting up. For example, one in four large-scale development projects is never completed.

Program vs. Software

Software is more than programs. Any program is a subset of software, and it becomes software only if documentation & operating procedures manuals are prepared.


There are three components of the software as shown in fig:




Software= Program + Documentation + Operating Procedures

Fig:Components of Software

1. **Program:** Program is a combination of source code & object code.
2. **Documentation:** Documentation consists of different types of manuals. Examples of documentation manuals are: Data Flow Diagram, Flow Charts, ER diagrams, etc.




3. Operating Procedures: Operating Procedures consist of instructions to set up and use the software system and instructions on how react to the system failure. Example of operating system procedures manuals is: installation guide, Beginner's guide, reference guide, system administration guide, etc.



Software Development Life Cycle (SDLC)

A software life cycle model (also termed process model) is a pictorial and diagrammatic representation of the software life cycle. A life cycle model represents all the methods required to make a software product transit through its life cycle stages. It also captures the structure in which these methods are to be undertaken.

SDLC Cycle represents the process of developing software. SDLC framework includes the following steps:



The stages of SDLC are as follows:

Stage1: Planning and requirement analysis

Requirement Analysis is the most important and necessary stage in SDLC.

The senior members of the team perform it with inputs from all the stakeholders and domain experts or SMEs in the industry.

Planning for the quality assurance requirements and identifications of the risks associated with the projects is also done at this stage.

Business analyst and Project organizer set up a meeting with the client to gather all the data like what the customer wants to build, who will be the end user, what is the objective of the product. Before creating a product, a core understanding or knowledge of the product is very necessary.

For Example, A client wants to have an application which concerns money transactions. In this method, the requirement has to be precise like what kind of operations will be done, how it will be done, in which currency it will be done, etc.

Once the required function is done, an analysis is complete with auditing the feasibility of the growth of a product. In case of any ambiguity, a signal is set up for further discussion.

Once the requirement is understood, the SRS (Software Requirement Specification) document is created. The developers should thoroughly follow this document and also should be reviewed by the customer for future reference.

Stage2: Defining Requirements

Once the requirement analysis is done, the next stage is to certainly represent and document the software requirements and get them accepted from the project stakeholders.

This is accomplished through "SRS"- Software Requirement Specification document which contains all the product requirements to be constructed and developed during the project life cycle.

Stage3: Designing the Software

The next phase is about to bring down all the knowledge of requirements, analysis, and design of the software project. This phase is the product of the last two, like inputs from the customer and requirement gathering.

Stage4: Developing the project

In this phase of SDLC, the actual development begins, and the programming is built. The implementation of design begins concerning writing code. Developers have to follow the coding guidelines described by their management and programming tools like compilers, interpreters, debuggers, etc. are used to develop and implement the code.

Stage5: Testing

After the code is generated, it is tested against the requirements to make sure that the products are solving the needs addressed and gathered during the requirements stage.

During this stage, unit testing, integration testing, system testing, acceptance testing are done.

Stage6: Deployment

Once the software is certified, and no bugs or errors are stated, then it is deployed.

Then based on the assessment, the software may be released as it is or with suggested enhancement in the object segment.

After the software is deployed, then its maintenance begins.

Stage7: Maintenance

Once when the client starts using the developed systems, then the real issues come up and requirements to be solved from time to time.

This procedure where the care is taken for the developed product is known as maintenance.


Requirement Engineering

Requirements engineering (RE) refers to the process of defining, documenting, and maintaining requirements in the engineering design process. Requirement engineering provides the appropriate mechanism to understand what the customer desires, analyzing the need, and assessing feasibility, negotiating a reasonable solution, specifying the solution clearly, validating the specifications and managing the requirements as they are transformed into a working system. Thus, requirement engineering is the disciplined application of proven principles, methods, tools, and notation to describe a proposed system's intended behavior and its associated constraints.

Requirement Engineering Process

It is a four-step process, which includes -

1. Feasibility Study
2. Requirement Elicitation and Analysis
3. Software Requirement Specification
4. Software Requirement Validation
5. Software Requirement Management



Requirement Engineering Process

1. Feasibility Study:

The objective behind the feasibility study is to create the reasons for developing the software that is acceptable to users, flexible to change and conformable to established standards.

Types of Feasibility:

1. **Technical Feasibility** - Technical feasibility evaluates the current technologies, which are needed to accomplish customer requirements within the time and budget.
2. **Operational Feasibility** - Operational feasibility assesses the range in which the required software performs a series of levels to solve business problems and customer requirements.
3. **Economic Feasibility** - Economic feasibility decides whether the necessary software can generate financial profits for an organization.


2. Requirement Elicitation and Analysis:

This is also known as the **gathering of requirements**. Here, requirements are identified with the help of customers and existing systems processes, if available.

Analysis of requirements starts with requirement elicitation. The requirements are analyzed to identify inconsistencies, defects, omission, etc. We describe requirements in terms of relationships and also resolve conflicts if any.

Problems of Elicitation and Analysis

- Getting all, and only, the right people involved.
- Stakeholders often don't know what they want
- Stakeholders express requirements in their terms.
- Stakeholders may have conflicting requirements.
- Requirement change during the analysis process.
- Organizational and political factors may influence system requirements.



3. Software Requirement Specification:

Software requirement specification is a kind of document which is created by a software analyst after the requirements collected from the various sources - the requirement received by the customer written in ordinary language. It is the job of the analyst to write the requirement in technical language so that they can be understood and beneficial by the development team. The models used at this stage include ER diagrams, data flow diagrams (DFDs), function decomposition diagrams (FDDs), data dictionaries, etc.

- **Data Flow Diagrams:** Data Flow Diagrams (DFDs) are used widely for modeling the requirements. DFD shows the flow of data through a system. The system may be a company, an organization, a set of procedures, a computer hardware system, a software system, or any combination of the preceding. The DFD is also known as a data flow graph or bubble chart.
- **Data Dictionaries:** Data Dictionaries are simply repositories to store information about all data items defined in DFDs. At the requirements stage, the data dictionary should at least define customer data items, to ensure that the customer and developers use the same definition and terminologies.
- **Entity-Relationship Diagrams:** Another tool for requirement specification is the entity-relationship diagram, often called an "*E-R diagram*." It is a detailed logical

representation of the data for the organization and uses three main constructs i.e. data entities, relationships, and their associated attributes.

4. Software Requirement Validation:

After requirement specifications developed, the requirements discussed in this document are validated. The user might demand illegal, impossible solution or experts may misinterpret the needs. Requirements can be the check against the following conditions -

- If they can practically implement
- If they are correct and as per the functionality and specially of software
- If there are any ambiguities
- If they are full
- If they can describe

Requirements Validation Techniques

- **Requirements reviews/inspections:** systematic manual analysis of the requirements.
- **Prototyping:** Using an executable model of the system to check requirements.
- **Test-case generation:** Developing tests for requirements to check testability.
- **Automated consistency analysis:** checking for the consistency of structured requirements descriptions.

5. Software Requirement Management:

Requirement management is the process of managing changing requirements during the requirements engineering process and system development.

New requirements emerge during the process as business needs a change, and a better understanding of the system is developed.

The priority of requirements from different viewpoints changes during development process.

The business and technical environment of the system changes during the development.

Prerequisite of Software requirements

Collection of software requirements is the basis of the entire software development project.

Hence they should be clear, correct, and well-defined.

A complete Software Requirement Specifications should be:

- Clear
- Correct
- Consistent
- Coherent
- Comprehensible
- Modifiable
- Verifiable
- Prioritized
- Unambiguous
- Traceable
- Credible source

Software Requirements: Largely software requirements must be categorized into two categories:

1. **Functional Requirements:** Functional requirements define a function that a system or system element must be qualified to perform and must be documented in different forms. The functional requirements are describing the behaviour of the system as it correlates to the system's functionality.
2. **Non-functional Requirements:** This can be the necessities that specify the criteria that can be used to decide the operation instead of specific behaviours of the system.

Non-functional requirements are divided into two main categories:

- **Execution qualities** like security and usability, which are observable at run time.
- **Evolution qualities** like testability, maintainability, extensibility, and scalability that embodied in the static structure of the software system.

